

Panasonic

Electronic Typewriter

KX-R530

- Typing Speed: 15 cps
- 15 chrs. LCD Display
- 7,000 chrs. Text Memory
- Accu-Spell™



KX-R530 Portable Electronic Typewriter

15-Character Plus 7 Guidance LCD Display

In order to see your work before it gets printed on the page, as well as to have a window through which to view your stored text, the KX-R530 has a 15-character plus 7 guidance LCD display. Adjustable contrast control provides optimum clarity.

7,000 Character Text Memory

You can store approximately 3 pages of double-spaced text within the internal memory of the KX-R530 electronic typewriter. With text stored in memory, you can make changes without having to retype the entire document.

Lift-off Correction System with One-Line Memory and Quick Erase

When typing directly on the page, just because you've made an error does not mean the page is ruined. Corrections can be made anywhere on the current line of type. A special lift-off tape actually removes errors clean off the page. You can even remove a whole word at a time with just one touch of the QUICK ERASE key.

Accu-Spell™

With the Accu-Spell™ spelling verification feature, you can worry less about typographical errors and misspellings, and concentrate more on your work.

Once You've finished writing your document, let the Accu-Spell™ feature scan your work, and alert you to possible misspellings. The built-in dictionary contains 86,000 words.


Computer Interface Capability

The KX-R530 can be connected to most personal computers via the optional KX-R60 parallel interface adaptor. In this way, you can use your typewriter as a computer printer.

Specifications

Print Element	Drop in Daisywheel
Print Pitch	10, 12, 15
Line Spacing	1, 1½, 2
Paper Capacity (max.)	295 mm (12")
Print Capacity (max.)	254 mm (10")
Typing Speed	15 cps
LCD Display	15 chrs.
Correction Tape	Lift-off (standard)/Cover-up (option)
Correction Memory	1 line
Main Dictionary (approx.)	86,000 words
Text Memory (max.)	7,000 chrs.
Power Source	AC 120, 220, 230, 240 V 50/60 Hz
Dimensions (W×H×D)	427×112×365 mm (16½×4½×14½")
Weight (approx.)	5.0 kg (11 lbs.)

Accessories/Options *Standard equipment



Daisywheel Printing Element



KX-R20*
Correctable
Film Ribbon
Cassette

KX-R21
Fabric
Ribbon
Cassette



KX-R30*
2 Lift-off
Correction
tapes

KX-R31
2 Cover-up
Correction
tapes



KX-R50
2 Correctable
Film Ribbon
Cassettes

KX-R51
3 Correctable Film
Ribbon Cassettes
and 2 Lift-off
Correction tapes

Printing Style

KX-R10: COURIER 10"

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$%&'()*
abcdefghijklmnopqrstuvwxyz -./:;@?@½;½¿_β`~^~%&+

KX-R11: PRESTIGE PICA 10

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$%&'()*
abcdefghijklmnopqrstuvwxyz -./:;@?@½;½¿_β`~^~%&+

KX-R12: PRESTIGE ELITE 12

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$%&'()*
abcdefghijklmnopqrstuvwxyz -./:;@?@½;½¿_β`~^~%&+

KX-R13: SCRIPT 10/12

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$%&'()*
abcdefghijklmnopqrstuvwxyz -./:;@?@½;½¿_β`~^~%&+

KX-R14: GOTHIC 15

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$%&'()*
abcdefghijklmnopqrstuvwxyz -./:;@?@½;½¿_β`~^~%&+

KX-R15: ORATOR 10

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$%&'()*
ABCDEFGHIJKLMNOPQRSTUVWXYZ -./:;@?@½;½¿_β`~^~%&+

KX-R16: BERLIN ITALIC 10/12

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$%&'()*
abcdefghijklmnopqrstuvwxyz -./:;@?@½;½¿_β`~^~%&+

Panasonic

Panasonic and National are the brandnames of Matsushita Electric.

Specifications are subject to change without notice.
KME9006TR-530-3 Printed in Japan

KX-R530 手提式电子英文打字机

15个字符加上7个指示的液晶显示屏

液晶显示屏让您在纸上打印前能看到您的操作，并提供一个窗口让您浏览内存的短文。KX-R530有一个15字符加上7个指示的液晶显示屏。可调节的对比度控制提供最佳的清晰度。

7000个字符短文记忆

在KX-R530电子打字机固有的内存记忆里您可以储存大约3页隔行打印的短文。短文内存记忆功能使您在修改文章时无需整篇重新打字。

一行记忆校正系统和快速删除

当在纸上直接打印的时候，打字的错误并不意味着纸已成废。因您可于正在打字的一行之任何地方随意进行改正。实际上有一个专用的更正带可移动至错误的地方并给予清除，您甚至可以按下快速删除键一次性删除整个单词。

电子字典™

电子字典的拼写校正功能，可减少您对打字及拼写错误的担心，让您可以更专心集中地工作。当您完成您的文件后，让电子字典功能检查您的文件，对您的拼写错误发出警告，内置的字典包含86000个单词。



计算机接口性能

KX-R530可以通过选购件KX-R60接口适配器连接大多数计算机。这样，您的打字机亦同时可用作电脑打印机。

规格

打印零件	菊花字轮
打印字号	10、12、15
行间距	1、1½、2
进纸宽度(最大值)	295毫米(12")
打印宽度(最大值)	254毫米(10")
打印速度	15个字符/秒
液晶显示屏	15个字符
更正带	分离式(标准)/覆盖式(选件)
更正记忆	1行
基本字典(近似值)	86000个单词
短文记忆(最大值)	7000个字符
电压	AC120、220、230、240V 50/60Hz
尺寸(宽 X 高 X 长)	427 X 112 X 365毫米(16⅜" X 4⅜" X 14⅜")
重量(近似值)	5.0公斤(11磅)

附件/选件* 标准设备



打印式样

KX-R10: 小楷 10号字

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$'()*+,
abcdefghijklmnopqrstuvwxyz -./:;¢=ç?@½;¼¿_B`^~`~`%&+

KX-R11: 大楷普通 10号字

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$'()*+,
abcdefghijklmnopqrstuvwxyz -./:;¢=ç?@½;¼¿_B`^~`~`%&+

KX-R12: 大楷小字 12号字

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$'()*+,
abcdefghijklmnopqrstuvwxyz -./:;¢=ç?@½;¼¿_B`^~`~`%&+

KX-R13: 草书 10/12号字

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$'()*+,
abcdefghijklmnopqrstuvwxyz -./:;¢=ç?@½;¼¿_B`^~`~`%&+

KX-R14: 粗体 15号字

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$'()*+,
abcdefghijklmnopqrstuvwxyz -./:;¢=ç?@½;¼¿_B`^~`~`%&+

KX-R15: ORATOR 10号字

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$'()*+,
ABCDEFGHIJKLMNOPQRSTUVWXYZ -./:;¢=ç?@½;¼¿_B`^~`~`%&+

KX-R16: 斜体 10/12号字

ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789 £!"#\$'()*+,
abcdefghijklmnopqrstuvwxyz -./:;¢=ç?@½;¼¿_B`^~`~`%&+

Panasonic

Panasonic 和 National 是松下电器的商标。

资料如有更改，恕不另行通知
中国·汕头市松声科技有限公司 翻译/印